

FIG. 1
(PRIOR ART)





FIG. 3
(PRIOR ART)



10091416.030702




FIG. 5

FIG. 6

300

MULTIPLE CONDITION COVERAGE TABLE FOR NODE CHANGESTATUS 302

CONDITION	LINE IN CODE	CONTAINED IN STATEMENT	NO. TIMES FALSE	NO. TIMES TRUE
InputRoot.XML.e_Human.e_Occupation='CEO'	8	IF InputRoot.X...	8	2
InputRoot.XML.e_Human.e_Occupation='CTO'	8	IF InputRoot.X...	5	3
InputRoot.XML.e_Human.e_Emp.e_Profession...	8	IF InputRoot.X...	1	0

304

306

308

310

316 ~ SUMMARY REPORT FOR MESSAGE FLOW

318 — PROCESSING NODE PERCENTAGE COVERAGE IS 81.0%

320 ~ CONNECTION PERCENTAGE COVERAGE IS 66.0%

3322 ~ EXCEPTION PERCENTAGE COVERAGE IS 0.0%

3324 ~ SQL STATEMENT COVERAGE IS 81.0%

326 ~ CONDITION PERCENTAGE COVERAGE IS 66.0%

328 ~ PROCESSING NODES DETAILED REPORT

	NODE LABEL	NODE ID	SQL STATEMENT COVERAGE	CONDITION COVERAGE
330				
332	INPUT1	216a53ce-e300-0000-0080...	-1	-1
334	CHECK1	7309e2ef-e300-0000-0080...	-1	-1
336	INTERNALNODE1	1f5e63ce-e300-0000-0080...	72.727	66.6667
338	CHANGESTATUS	38c663ce-e300-0000-0080...	100	66
340	OUTPUT1	02f843d3-e300-0000-0080...	-1	-1
342	OUTPUT2	aae55ece-e300-0000-0080...	-1	-1

FIG. 7

FIG. 8

